



NO.10, LN.630, JIANCHENG RD., EAST  
DIST., TAICHUNG CITY  
40150, TAIWAN  
TEL : 04-22802156  
FAX : 04-22802132  
E-MAIL : core.focus156@gmail.com  
<https://www.cf-lights.com>

# SPECIFICATION

PART NO.: CF-FCS 系列

天井燈

150W


一、圖面外觀




二、規格

品牌		
產品名稱	LED 天井燈	
產品型號	CF-FCS-150W	
消耗功率	150W	
燈珠品牌		
光效	≥ 125 lm/W	≥ 140 lm/W
LED 光通量	≥ 18750 LM±5%	≥ 21000 LM±5%
色溫	白光、黃光	
燈具材質	鋁壓鑄、PC	
電源	防水集成寬壓恆流電源	
輸入電壓	AC85~265V	
電源頻率	50Hz~60Hz	
防護等級	IP 65	
保固期限	保固二年	
尺寸	Φ320mm*152mm	
重量	2.6kg	
尺寸圖		

## 三、數據

PART NO.:CF-FCS-150W						
Parameter	Symbol	Condition	Min.	Typ.	Max.	Unit
Luminous Flux 	$\Phi_v$	85-265 VAC	15908	18750		Lm
Color Index	%	85-265 VAC				Ra
Illuminance@1M distance		85-265 VAC	7103	8370		Lux
Illuminance@8M distance		85-265 VAC	150	177		Lux
Illuminance@10M distance		85-265 VAC	113	133		Lux
Illuminance@12M distance		85-265 VAC	78	92		Lux
Illuminance@15M distance		85-265 VAC	50	58		Lux
Power Consumption	$P_D$	85-265 VAC		150	165	W
Power Factor		85-265 VAC	0.92	0.95		
Finished weight				2.6	2.8	kg

PART NO.:CF-FCS-150W						
Parameter	Symbol	Condition	Min.	Typ.	Max.	Unit
Luminous Flux 	$\Phi_v$	85-265 VAC	17817	21000		Lm
Color Index	%	85-265 VAC				Ra
Illuminance@1M distance		85-265 VAC	7956	9375		Lux
Illuminance@8M distance		85-265 VAC	168	198		Lux
Illuminance@10M distance		85-265 VAC	126	149		Lux
Illuminance@12M distance		85-265 VAC	88	103		Lux
Illuminance@15M distance		85-265 VAC	56	65		Lux
Power Consumption	$P_D$	85-265 VAC		150	165	W
Power Factor		85-265 VAC	0.92	0.95		
Finished weight				2.6	2.8	kg